


Index

A

- A List Apart, 97
- Abs Bottom alignment, 278
- Abs Middle alignment, 278
- Absolute (Position tab), 552
- absolute URL path, 312
- Access database, installing, 791
- accessibility
 - frames, 446
 - Web site help with issues on, 98
- accidental publishing, avoiding, 916
- Actions
 - adding, 571
 - alert window, opening, 595–596
 - animated scenes, playing or stopping, 603–604
 - background color, setting, 611
 - Call Function Action, 611–612
 - Condition Action, 612–614
 - cookies, 618–620
 - custom JavaScript, calling, 611–612
 - declaring variables, 614–615
 - described, 570
 - displaying images at random, 586–587
 - Document Write Action, 594–595
 - Drag Floating Box Action, 598
 - events, triggering, 570–572
 - Flip Move Action, 599–600
 - flipping an object between points, 599–600
 - floating boxes, 598, 662–663, 665–666
 - forms, 479–480
 - Get Floating Box Position Action, 584
 - Get Form Value Action, 585
 - Go Last Page Action, 589
 - Goto Link Action, 589–590
 - grouping, 620–622
 - HTML code, inserting, 594
 - Idle Action, 612–614
 - implementing, 583–614
 - initializing variables, 616–617
 - installing, 571
 - link Actions, 589–593
 - message Actions, 593–597
 - Move By Action, 600–601
 - Move To Action, 602–603
 - moving an object to a point, 600–601
 - moving an object to another location, 602
 - multimedia Actions, 597–607
 - Navigate History Action, 590
 - navigation history, 590
 - Netscape CSS Fix Action, 608
 - new URL, taking user to, 589–590
 - new window, opening, 590–593
 - New Window Action, 591–593
 - OnCall head Action, 616–617
 - Open Alert Window Action, 595–596
 - Play Scene Action, 603–604
 - Play Sound Action, 604–605
 - Preload Image Action, 585–586
 - preloading images, 585–586
 - previous page, returning to, 589
 - previously set Action, calling, 622
 - Random Image Action, 586–587
 - Read Cookie Action, 619–620
 - reading cookies, 619–620
 - Resize Window Action, 608–609
 - Scroll Down Action, 609–610
 - Scroll Left Action, 609–610
 - Scroll Right Action, 609–610
 - Scroll Up Action, 609–610
 - Set Back(ground) Color Action, 611
 - Set Image URL Action, 588
 - Set Status Action, 596–597
 - Set Variable Action, 617
 - setting variables, 617
 - sharing Actions between pages or sites, 576
 - Show Hide Action, 605–606
 - sound, playing or stopping, 604–605
 - status bar, messages in, 596–597
 - swapping images, 588
 - Test Variable Action, 617–618
 - testing variables, 617–618
 - text, inserting, 594
 - triggering events, 570–572
 - user-triggered sounds, 700
 - values used in forms, 585
 - variables, 614–618
 - Wipe Transition Action, 607
 - writing, 623
 - writing cookies, 618–619
- Actions palette, 364–365
- Activate Document option, 830
- active links, 140
- Active Server Pages (ASP), 785–786
- ActiveX, 14



1030 Index ♦ A-B

- Add Used Colors, 856
- Add Used External References, 856
- Add Used Files, 856
- Add Used Font Sets, 856
- Add used option, 856
- adding
 - Actions, 571
 - background properties, 555
 - block properties, 550
 - element selectors, 536–537
 - e-mail addresses to Site Window, 326–328
 - files, 994
 - font properties, 546
 - frames, 451
 - frameset, 451
 - Java applets, 775–779
 - List & Other properties, 556
 - position properties, 552
 - QuickTime movies, 675–682
 - tables, 370–372
 - text properties, 548
 - URLs to Site Window, 326–328
- Adobe Premiere, 705
- advanced form fields, 504–505
- alert window, opening, 595–596
- Align Center button, 212
- Align Left button, 212
- Align palette, 48
- Align Right button, 212
- aligning
 - default alignment setting, 164
 - floating boxes, 634–635
 - grid on another grid, 167
 - images, 278–279
 - layout grid, 163–167
 - line, aligning grid on a, 166–167
 - objects on layout grid, 181–184
 - objects with respect to layout grid, 181–182
 - objects with respect to one another, 182–183
 - pages, 967
 - setting alignment, 164–165
 - tables, 398–402
- Alignment (Text tab), 550
- All bindings preference, 808
- ALT tags, 261
- anchor links, 303–304, 317–320
- animated scenes, playing or stopping, 603–604
- animating floating boxes with a timeline, 651–665
- annotations, 963–964
- AOL Guide for Webmasters, 97
- Apple Information Access Technology, 834
- AppleScript, 10

- Attach (Background tab), 555
- audio
 - adding, 668–670
 - compressed files, linking to, 669
 - Default, 668
 - embedded audio, 670–671
 - linking audio files, 670–671
 - LiveAudio, 668
 - MIME type, 668
 - music tracks, adding, 726–729
 - plug-ins, 668–669
 - progressive download, 669
 - QuickTime, 668–669
 - RealPlayer, 669
 - Shockwave Flash, 669
 - sound, playing or stopping, 604–605
 - sound tracks, adding, 726–729
 - streaming servers, 670
- Auto indent preference, 769
- automatic correction, 472–473
- Autoplay option, 680
- AWARE Center, 98

B


- background
 - adding, 132–138
 - floating boxes, 636–637
 - nontiling backgrounds, 139
- background color
 - floating boxes, 636–637
 - layout grid, 169–171
 - removing, 133–134
 - setting, 132–133, 611
 - tables, 403–404
 - text box, adding to, 175–176
- background images
 - adding background image by dragging, 134–136
 - browsing from Page Inspector to place, 136–137
 - floating boxes, 637
 - format, 135
 - manually entering path to, 138
 - Point and Shoot used to place, 136
 - removing, 138
 - sizing, 135
 - tiled backgrounds, 135
 - using, 134–138
- background properties
 - adding, 555
 - Attach, 555
 - Color, 555
 - Image, 555

- Left, 556
- Repeat, 555
- Top, 556
- bad links, 836–843, 921–922
- Bartlett, Kynn, 549
- Baseline alignment, 278
- Basic tab (Objects palette), 39
- basic WebDAV
 - current files, 1013–1014
 - managing files, 1013–1014
 - manually locking files, 1011–1013
 - modified files, uploading, 1015
 - shared locks, 1013
 - specific files, uploading, 1015–1016
 - uploading files, 1015–1016
 - WebDAV browser, 1016–1017
 - Workflow Support, 1010–1011
- Beatnik, 700–701
- beginners, 7
- beta testing, 864
- Better Homepage, 783
- BGColor option, 680
- Blady, Walter, 298, 666
- blank target, 467
- blank Web page
 - adding text to, 192
 - creating component from, 416–419
- Blend option (Track Inspector), 716
- Blink formatting option, 217
- Block (Block tab), 551
- block properties
 - adding, 550
 - Block, 551
 - Clear, 551
 - Float, 551
 - Margin, 550–551
 - Padding, 551
- Blooberry.com's Index DOT Css, 565
- Bold formatting option, 216
- bold tags, 827
- bookmarks
 - frames and, 444–445
 - onscreen Help, 92–93
- Border color, 554
- Border pattern, 554
- Border placement, 554
- border properties, 554
- borders
 - adding, 394–395
 - color of borders between frames, 463–464
 - creating, 281
 - frames, 463–465

- Bottom alignment, 278
- Bring Region to Front button, 359
- Browse to destination link, 309–310
- browser compatibility
 - beta testing, 864
 - checking, 863–864
 - computer, testing on own, 863
 - server, testing from, 863
- browser preview, 457
- Browser Switch Smart Object, 622–624
- Browser Watch, 98
- browser-triggered events, 571
 - described, 572
 - head Actions, 577–579
 - inline Actions, 579
 - page-triggered Action, 577–579
- Build Navigation Hierarchy dialog box, 936
- built-in progressive effect, 274
- bulleted lists, 237–238, 245
- button rollover effects, adding, 359–365
- buttons, 304
 - converting buttons for image maps, 364
 - forms, 500–504
 - normal buttons, 501–502
 - radio buttons, 491–493
 - reset buttons, 502
 - sticky buttons, 364
 - submit buttons, 500–501
 - universal buttons, 502–503


C

- cache, 884–885
- Cache option, 680
- Cache responses from server preference, 808
- Call Function Action, 611–612
- captions, 407–409
- Cascading Style Sheets (CSS), 13, 139, 199
 - code format, 563–564
 - default unit of measure, changing, 562–563
 - links, 565
 - preview style sheet, 564
 - resources for, 564–565
- cell padding, adjusting, 395–396
- Cell size, 941
- cell spacing, adjusting, 396–397
- cell-level alignment, 400–402
- Center for Applied Special Technology (CAST), 98
- centering tables, 412
- chapter tracks, adding, 744–746
- Check Syntax button, 756
- checkboxes, 490–491, 492



1032 Index ♦ C

- checked-out files, 991–994
- checking files in, 1002–1003
- checking out files, 989–991
- circle, editing, 353
- Circle tool, 349
- circular references, 436
- classes, 540–543
- Clean Up command, 854
- Clean Up Site command, 225–226, 857–859
- Clean Up Site Preferences, 855–857
- Clear (Block tab), 551
- clickable image maps. *See* image maps
- client-side map, 346
- client-side validation, 506
- clipboard, text on, 197
- Clipping (Position tab), 553
- Close the Find Window option, 830
- CMYK tab (Color palette), 42
- Code formatting option, 218
- codevelopers, 985–986
- Collection spotlight, 944–945
- color
 - designing site with, 32
 - font colors, changing, 218–220
 - links, 138–140
 - tables, 402–407
 - text, 138–140
 - 256-color mode, 44
 - of view, 941
 - Web-safe palette, 44
- Color (Background tab), 555
- color border, 404–405
- Color (Font tab), 546
- Color palette, 6
 - choosing colors, 41
 - CMYK tab, 42
 - collapsing, 43
 - described, 40–41
 - Grayscale tab, 41
 - HSB tab, 42
 - HSV tab, 42
 - Palettes tab, 43
 - preview area, 45
 - reopening, 43
 - resizing, 45
 - RGB tab, 41
 - Site Color tab, 43
 - Web Color List tab, 43, 45
 - Web Named List tab, 43
- Color Region button, 356
- Colors preference, 771
- Colors tab
 - automatically collecting colors in, 30–31
 - removing colors, 31
- columns
 - adding, 382–385
 - deleting, 386
 - end of table, adding to, 383–384
 - merging cells in, 392–393
 - new column inserted between existing columns, 385–386
 - selecting, 374–375
- comments
 - layout grid, 177
 - Site Designer, 963–964
- components, 13
 - all pages, switching component on, 425–426
 - blank page, creating component from, 416–419
 - creating, 414–420
 - deleting, 427
 - described, 413–414, 994
 - drag and drop used to place component on page, 423–424
 - editing, 424–425
 - existing page, creating component from, 419–420
 - Head Actions, 415–416
 - minimizing code and enabling JavaScript in, 581–583
 - placing on page, 421–424
 - Point and Shoot used to place component on page, 421–422
 - rollovers, 416
 - sharing, 995–996
 - single page, switching component on, 426
 - switching, 425–426
- Components folder, 33
- Composition (Dither Copy) option (Track Inspector), 717
- Condition Action, 612–614
- content
 - adding to tables, 375–382
 - floating boxes, 637–640
 - frames, 454–456
 - links changing content of frame, 465–466
 - style sheets and, 525
- content source, creating, 797–799
- controls
 - forms, 476, 483–496
 - multimedia files, 692
 - TimeLine window playback controls, 712–713
- cookies
 - Actions, 618–620
 - reading, 619–620
 - writing, 618–619



- copy of site, 917
- Copy option (Track Inspector), 716
- copying
 - existing tracks from other movies, 724–725
 - Help text, 93
 - pages, 917
 - text, 193, 196–197
 - text boxes, 198
- copyright of images, 298
- counters, 878
- creating
 - anchor on the fly, 315–317
 - classes, 540–541
 - components, 414–420
 - Custom Objects, 428–429
 - Custom Snippets, 430–431
 - forms, 15, 477–483
 - frames, 448–453
 - IDs, 543–544
 - image maps, 346–348
 - links, 304–314
 - lists, 238–243
 - movie, 706–707
 - site design, 955–962
 - text macros, 433–434
- Creating Cool HTML 4 Web Pages* (Taylor), 96
- CSS Pointers Group, 564
- current files, 1013–1014
- custom dictionary, 235–236
- custom JavaScript, 611–612
- Custom Objects
 - creating, 428–429
 - deleting, 431
 - described, 427–428
 - other sites, using Custom Objects in, 429–430
- Custom Snippets
 - creating, 430–431
 - deleting, 431
 - described, 427–428
- Custom tab (Objects palette), 13, 40
- custom tab order, 497
- customizing
 - page icons and labels, 938–941
 - plug-in icons, 13–14
 - Site Window, 35
 - Upload button, 922
- cut and paste used to add Java applets, 780–781
- cutting text, 196–197
- CyberAtlas, 100
- CYN (French language site), 95

D


- data for forms, gathering, 476
- database, installing on server, 791–793
- database requirements for Dynamic Link, 789–790
- date/time information, 882–884
- declaration properties, 545–557
- declaring variables, 614–615
- Decoration (Font tab), 548
- Default alignment, 278
- default page margins, removing, 158–159
- default unit of measure, changing, 562–563
- defining links, 965–966
- Definition formatting option, 218
- definition lists, 248–249
- Delete Script Item button, 758
- deleting
 - anchor links, 342
 - background images, 138
 - components, 427
 - Custom Objects, 431
 - Custom Snippets, 431
 - files, 997
 - files while maintaining links, 122–123
 - files without maintaining links, 123–124
 - floating boxes, 635–636
 - frames, 452
 - graphic links, 342
 - images, 286
 - items from server, 929–930
 - items from site, 921–923
 - Java applet parameters, 780
 - links, 342
 - part of a link, 341–342
 - restoring deleted files, 125–126
 - server setting, 904
 - sliced images, 286
 - tables, 373
 - trash, removing file from, 124
 - unused font sets, 231–232
 - Web pages, 122–125
- demonstration of style sheets in action, 520–521
- descriptions, adding, 871–874
- designers, 8–9
- Designs folder, 33
- developers, 10–11
- Developer.WebTV.net, 98
- DHTML, 14
- disabling form elements, 498
- disappearance of coworker, 991
- disconnecting from server, 1005–1006
- Display Errors button, 756–757
- Display options preference, 808

1034 Index ♦ D-E

- Display Warnings button, 756–757
 - displaying
 - images at random, 586–587
 - QuickTime movies, 748
 - Dither Copy option (Track Inspector), 716
 - division of labor, 978
 - Document Statistics, 22, 862
 - Document Write Action, 594–595
 - domain names, 874–875
 - downloadable files, links to, 339–340
 - downloading files from server, 930–932
 - drag and drop
 - assign font set to text, 226
 - component on page, placing, 423–424
 - Drag Floating Box Action, 598
 - dragging
 - adjusting table by, 388–389
 - file directly onto a page, 266
 - link destination into place, 313–314
 - page icon to the source page, 314
 - placing an image by, 259–261
 - resizing cells by, 390
 - tables onto page, 370
 - text, 193, 196–197
 - dynamic, making Web page, 795–797
 - Dynamic Link, 15
 - Access database, installing, 791
 - All bindings preference, 808
 - Cache responses from server preference, 808
 - content source, creating, 797–799
 - database, installing on server, 791–793
 - database requirements, 789–790
 - described, 786–787
 - Display options preference, 808
 - dynamic URL arguments, linking dynamic pages using, 807
 - enabling, 793
 - FileMaker Pro database, installing, 792–793
 - Frame borders preference, 808
 - Invalid bindings preference, 808
 - Macintosh and, 788–789
 - mock pages, creating, 793–795
 - navigation links, creating, 803–807
 - new dynamic page, linking to, 804–805
 - ODBC database, installing, 791–792
 - Oracle database, installing, 791–792
 - placeholder, binding content source to, 799–801
 - preferences, 807–808
 - SQL Server database, installing, 791–792
 - tables, creating dynamic, 801–803
 - troubleshooting, 790
 - values passing between dynamic pages, 805–807
 - Web page, making dynamic, 795–797
 - Web server, setting up, 790
 - Web Server HTTP timeout preference, 808
 - Web server requirements, 787–788
 - dynamic media, framing, 442
 - dynamic URL arguments, linking dynamic pages using, 807
- ## E
- Edit DV Unplugged, 705
 - editing
 - components, 424–425
 - custom dictionary, 235–236
 - existing pages, 915–920
 - files, 1007
 - floating boxes, 643
 - font sets, 228–231
 - frame contents, 456
 - images, 283–286
 - Java applet parameters, 780
 - links, 340–341
 - live editing, 63
 - regions, image maps, 352–354
 - server setting, 904
 - style sheets, 558–562
 - text, 194–198
 - element selectors, 535–537
 - Element tab, 828–830
 - e-mail addresses
 - extending links, 328–332
 - links, 323–328
 - manually adding, 324–325
 - organizing, 328
 - updating, 332
 - Emailer Action added to e-mail link, 331–332
 - eMarketer, 100
 - embedded style sheets. *See* internal style sheets
 - embedding
 - audio, 670–671
 - multimedia files, 688–693
 - QuickTime movies, 677–682
 - RealMedia, 684–686
 - Emphasis formatting option, 218
 - Enable dragging of marked text preference, 769
 - Enable Syntax Highlighting preference, 771
 - enabling Dynamic Link, 793
 - encrypting form results, 480
 - entire site, searching, 815–818
 - Eric Meyer's Browser Compatibility Charts, 565
 - errors, server access. *See* server access errors
 - Errors tab, 841, 843–849

- events, triggering, 570–572
 - Events tab, 759–760
 - existing site
 - importing, 108–116
 - local drive, importing site from, 109–112
 - remote server, downloading Web site from, 112–116
 - Export command, 929
 - Export Site, 887
 - exporting
 - JavaScript code, 582
 - QuickTime movies, 746–748
 - site, 909–912
 - exposure of site. *See* site exposure
 - external anchors, 315
 - external JavaScript file, placing code in, 754
 - external JavaScript page, 581
 - external links, 300–302, 841–843
 - external style sheets
 - conversion to internal style sheet, 534–535
 - creating, 528–530
 - described, 522–524
 - drag and drop used to link pages to, 533
 - editing, 559–560
 - File Inspector used to link pages to, 531–532
 - internal style sheet converted to, 534
 - linking pages to, 530–533
 - removing, 561
 - Style Sheet window used to link pages to, 533
 - externally created pages, 320–323
 - Extras tab (Site Window)
 - Components folder, 33
 - Designs folder, 33
 - Site Trash folder, 33
 - Stationeries folder, 34
- F**
- Family spotlight, 943
 - field-level validation, 506–507
 - fieldsets, 499
 - FieldValidator Action, 506–507
 - File Browser, 505
 - file mapping, changing, 284–286
 - file names, 881
 - File Preview, 257
 - file transfer, 62–63
 - FileMaker Pro database, installing, 792–793
 - files
 - all files, uploading, 925
 - Errors tab, troubleshooting with, 843–849
 - missing files, 843, 846–849
 - naming restrictions, 16
 - orphan files, 843–845
 - orphaned files, 843
 - troubleshooting with Errors tab, 843–849
 - to upload and link to, determining, 676
 - files list, updating, 928
 - Files tab
 - dragging image from, 259
 - renaming local file in, 998–1000
 - filtering files viewed, 942
 - Find & Replace, 16
 - Find by Element, 10
 - Find preferences, 830–832
 - Activate Document option, 830
 - Close the Find Window option, 830
 - GREPs, adding, 831–832
 - Keep the Find Window in Front option, 830
 - regular expressions, adding, 831–832
 - setting, 830–832
 - finding and replacing text, 811–827
 - firewall software, 979
 - Flatten Script Library, 859
 - Flip Move Action, 599–600
 - flipping an object between points, 599–600
 - Float (Block tab), 551
 - floating boxes, 14
 - Actions, 662–663, 665–666
 - adding text to, 192
 - additional floating boxes, adding, 632–633
 - aligning, 634–635
 - animating floating boxes with a timeline, 651–665
 - appearance of, 642
 - background color, adding, 636–637
 - background image, adding, 637
 - backgrounds, 636–637
 - code, 630
 - content, adding, 637–640
 - deleting, 635–636
 - described, 626–627
 - draggable, 598
 - editing within, 643
 - Floating Boxes palette, 649–651
 - formatting, 640–642
 - image, 639–640
 - initial visibility, setting, 645
 - invisible floating boxes, 648–649
 - layout text box, conversion to, 643–644
 - manually creating scenes, 655
 - Mouse Trail, 666
 - movement, creating, 665–666
 - movement, recording, 653–654
 - moving text to, 197

Continued



1036 Index ♦ F

- floating boxes (*continued*)
 - naming animation, 657–658
 - nested floating boxes, 633
 - new scene, creating, 660–661
 - overlap, preventing, 633–634
 - placing on page, 627–629
 - playback, 663–665
 - recorded path, editing, 658–660
 - repositioning, 630–632
 - resizing, 642–643
 - ScrollIt, 666
 - selecting, 633
 - stacking order, 662
 - text, 638, 641–642
 - viewing animation, 654–657
 - visibility, 644–648, 662
 - visibility on call, 645–648
- Floating Boxes palette, 649–651
- folder names, 881–882
- folders
 - adding, 55
 - Components folder, 33
 - contents, revealing, 57
 - Designs folder, 33
 - folder icons, 55–56
 - moving files into, 57–58
 - opening, 57
 - root folder, 58
 - Site Trash folder, 33
 - Stationeries folder, 34
- font
 - Blink formatting option, 217
 - Bold formatting option, 216
 - Code formatting option, 218
 - colors, changing, 218–220
 - Definition formatting option, 218
 - Emphasis formatting option, 218
 - Italic formatting option, 216
 - Keyboard formatting option, 218
 - physical styles, 215–217
 - Plain Structure formatting option, 217
 - Plain Text formatting option, 215
 - Quotation formatting option, 218
 - Sample formatting option, 218
 - Strikeout formatting option, 216
 - Strong formatting option, 218
 - structural styles, 217–218
 - styles, 215–218
 - Subscript formatting option, 217
 - Superscript formatting option, 216
 - Teletype formatting option, 217
 - Underline formatting option, 216
 - Variable formatting option, 218
- font face tag, 221, 228
- Font Family (Font tab), 546–547
- font preferences, 770–771
- font properties
 - adding, 546
 - Color, 546
 - Decoration, 548
 - Font Family, 546–547
 - Line Height, 546
 - Size, 546
 - Style, 548
 - Weight, 548
- font sets, 31
 - automatically collecting, 224–225
 - Clean Up Site command, collecting font sets with, 225–226
 - creating, 221–223
 - described, 220–221
 - drag and drop used to assign font set to text, 226
 - editing, 228–231
 - manually adding font set to Site window, 224
 - menu command used to assign font set to text, 226
 - pasting text, transferring font set by, 227–228
 - removing unused, 231–232
 - Site window, storing font sets in, 223–226
 - Site windows, transferring font set between, 227
 - style sheet, assigning within, 221
 - transferring, 227–228
 - unused font sets, removing, 231–232
 - using, 226
- font sizes, adjusting, 200–203
- font tags, 219, 824–827
- Font Variant (Text tab), 550
- ForceFrame Action, 472–473
- form actions, 476
- form fields, 483–496
- formatting
 - Blink formatting option, 217
 - Bold formatting option, 216
 - Code formatting option, 218
 - Definition formatting option, 218
 - Emphasis formatting option, 218
 - floating boxes, 640–642
 - Italic formatting option, 216
 - Keyboard formatting option, 218
 - Plain Structure formatting option, 217
 - Plain Text formatting option, 215
 - Quotation formatting option, 218
 - Sample formatting option, 218
 - Strikeout formatting option, 216
 - Strong formatting option, 218

- Subscript formatting option, 217
- Superscript formatting option, 216
- Teletype formatting option, 217
- text, 740-741
- Underline formatting option, 216
- Variable formatting option, 218
- form-level validation, 508-509
- forms
 - Actions, 479-480
 - advanced form fields, 504-505
 - buttons, 500-504
 - checkboxes, 490-491, 492
 - client-side validation, 506
 - controls, 476, 483-496
 - creating, 15, 477-483
 - custom tab order, 497
 - data, gathering, 476
 - described, 475-476
 - disabling form elements, 498
 - encrypting form results, 480
 - field-level validation, 506-507
 - fieldsets, 499
 - FieldValidator Action, 506-507
 - File Browser, 505
 - form actions, 476
 - form fields, 483-496
 - form-level validation, 508-509
 - frames, targeting form results when using, 480
 - Get method, 481
 - GoLive Actions, 512-514
 - hidden fields, 476
 - hidden tags, 481-483
 - image placeholders, 503-504
 - key generator, 504-505
 - keyboard keys, 497
 - labels, 486-487
 - list box, 495-496
 - methods, choosing, 481
 - migration to GoLive 5's form container, 511-512
 - naming, 479
 - Noedit tag, 514-515
 - nonstandard tags, 514-516
 - normal buttons, 501-502
 - password field, 484-486
 - pop-up menu, 493-495
 - Post method, 481
 - radio buttons, 491-493
 - read-only fields, 499
 - reset buttons, 502
 - server-side validation, 506, 509-510
 - Source view, 515-516
 - specifying action, 479-480
 - submissions, confirming, 509
 - submit buttons, 500-501
 - tab order of fields, setting, 496-498
 - telling form what to do with data, 476
 - text area field, 488-490
 - text field, 484-486
 - troubleshooting, 510-511
 - universal buttons, 502-503
 - user navigation, 496-499
 - validating data, 506-510
 - VerifyForm Action, 508-509
- Forms tab (Objects palette), 39
- Frame borders preference, 808
- Frame Regions button, 356
- Frame size, 941
- frame view, 940
- frames
 - noframes tag, 470-471
 - accessibility, 446
 - adding, 451
 - automatic correction, 472-473
 - blank target, 467
 - bookmarks and, 444-445
 - borders, 463-465
 - browser preview, 457
 - changing two frames at once, 467-469
 - color of borders between, 463-464
 - content, 454-456, 465-466
 - creating, 448-453
 - deleting, 452
 - described, 437-439
 - dynamic media, framing, 442
 - editing contents, 456
 - ForceFrame Action, 472-473
 - frameset. *See* framesets
 - generic frame targets, 466-467
 - GoLive preview, 457
 - guidelines, 446-447
 - height, 460
 - hiding codes within, 440-442
 - linking page to, 454-456
 - links across, setting up, 465-469
 - manual link, 471-472
 - moving, 452
 - naming, 453
 - navigation, 471-473
 - navigation bar contained by, 442
 - orientation, changing, 453
 - outside frameset, linking to page, 469
 - parent target, 466
 - Percent option, 461

Continued

1038 Index ♦ F–G

frames (*continued*)

- Pixel option, 461
 - placing frameset on page, 448–450
 - previewing, 456–458
 - printing and, 445
 - Scale option, 461
 - scrollbars, 462
 - search engines and, 443–444
 - self target, 467
 - semi-editable preview, 457–458
 - sizing, 459–462
 - sizing method, changing, 460–461
 - special effects, 439–440
 - testing links, 467
 - top target, 466
 - turning borders between frames on or off, 464–465
 - two frames, changing, 467–469
 - user-resizable frames, 463
 - using, 439–442
 - width, 460
 - width of borders between, 463
- frames, targeting form results when using, 480
- Frames tab (Objects palette), 39
- framesets, 438–439
- building, 448–450
 - deleting, 452
 - nesting, 456
 - outside frameset, linking to page, 469
 - placing frameset on page, 448–450
 - tips for, 459
- framing, 411–412
- Free Java Applets, 783
- Freehand tool, 350–352
- FTP Browser, 887
- connecting to, 900
 - described, 17, 899
 - directory, adding, 901
 - disconnecting, 902
 - downloading selected pages with, 932
 - entering FTP settings, 899–900
 - files, viewing, 901–902
 - pages, uploading, 901
 - setup basics, 899–900
 - site, uploading, 901
 - updating files with, 927–928
 - viewing files, 901–902
- FTP preferences, 903–906
- FTP tab, uploading selection with, 926

G

- Gamelan, 783–784
- general network options for FTP, 905–906
- general Web site development help, 96
- AOL Guide for Webmasters, 97
 - Browser Watch, 98
 - Developer.WebTV.net, 98
 - Human Factors International, 97
 - Internet 201, 97
 - Internet.com, 97
 - A List Apart, 97
 - Web-Page Design for Designers, 97
 - Webreview.com, 97
- generic frame targets, 466–467
- Get Floating Box Position Action, 584
- Get Form Value Action, 585
- Get method, 481
- GIF, 253
- hiding invisible GIFs, 549
 - invisible GIF used to set paragraphs apart, 208
 - losing invisible GIF, 80
- global regular expression print (GREP) strings, 818, 831–832
- Go Last Page Action, 589
- GoLive
- ActiveX, 14
 - beginners using, 7
 - described, 3–5
 - designers using, 8–9
 - developers and, 10–11
 - DHTML, 14
 - features, 5–6
 - hand-coders and, 9–10
 - large sites, 11–12
 - multimedia capabilities, 13–14
 - project managers and, 11
 - recycling with, 12–13
 - scriptors and, 10–11
 - site-publishing interfaces, 17
 - tracking work in, 15–16
 - using, 6–12
 - Web database, 15
- GoLive Actions, 512–514
- GoLive Headquarters, 95
- GoLive Heaven, 95
- GoLive preview, 457
- GoLive SDK, 11
- GoLive Talk, 94–95
- GoLive-wide preferences, 979–980
- Goto Link Action, 589–590

graphics
 formats, 252–254
 importing Photoshop layered graphics, 297–298
 PNG. *See* PNG
 SVG. *See* SVG
 tables, adding to, 382
 text, aligning with, 213–214
 Graphics Interchange Format. *See* GIF
 Grayscale tab (Color palette), 41
 green bugs, 837
 GREPs, 818, 831–832
 grid lines, setting up, 168–169
 grid spacing, 168
 grouping
 Actions, 620–622
 objects, 185–186
 pages, 969–971

H


hand-coded JavaScript, testing, 755
 Head Actions, 415–416
 Head tab (Objects palette), 39
 headers
 placing JavaScript in, 751
 setting up, 198–200
 height of frames, 460
 Height (Position tab), 552
 help
 accessibility, 98
 AWARE Center, 98
 Center for Applied Special Technology (CAST), 98
 CyberAtlas, 100
 CYN (French language site), 95
 eMarketer, 100
 general Web site development help, 96–98
 GoLive Headquarters, 95
 GoLive Heaven, 95
 GoLive Talk, 94–95
 HTML help resources, 95–96
 legal help, 99–100
 marketing, 100
 Nielsen NetRatings, 100
 onscreen Help. *See* onscreen Help
 Royal National Institute for the Blind (RNBI), 99
 Search Engine Watch, 100
 VisiBone's Color-Deficient Vision page
 (colorblindness), 99
 Web Accessibility Initiative (WAI), 98
 hidden fields, 476
 hidden tags, 481–483

hiding codes within frames, 440–442
 hiding invisible GIFs, nonbreaking spaces, or spacer,
 549
Hip Pocket Guide to HTML (Tittel), 233
 History palette, 16, 46–47
 hotspot linked to page or file, 355–356
 HREF tracks, adding, 742–743
 HSB tab (Color palette), 42
 HSV tab (Color palette), 42
 HTM Writer's Guild, 564
HTML 4 Bible (Pfaffenberger), 96, 233
HTML 4 for Dummies Quick Reference (Ray and Ray),
 96
HTML 4 For Dummies (Tittel and James), 233
 HTML added to e-mail link, 329–331
 HTML code
 described, 65
 elements, 827–830
 inserting, 594
 stripping, 905
 viewing, 66, 131. *See also* Source Code window
HTML for Dummies (Tittel, Pitts, Wooldridge, and
 Valentine), 96
 HTML help resources, 95–96
Creating Cool HTML 4 Web Pages (Taylor), 96
HTML 4 Bible (Pfaffenberger), 96
HTML 4 for Dummies Quick Reference (Ray and
 Ray), 96
HTML for Dummies (Tittel, Pitts, Wooldridge, and
 Valentine), 96
 HTML Writers Guild, 95
 Liszt, 96
 NCSA (at UIUC) Beginner's Guide to HTML, 96
 W3C, 95
 Web Developer's Virtual Library, 96
 Web Standards Project, 96
 HTML Outline Editor mode, 840–841
 HTML Writers Guild, 95
 Human Factors International, 97

I


Idle Action, 612–614
 IDs, 543–545
 Image (Background tab), 555
 Image (List & Others tab), 556
 image maps
 Actions palette, 364–365
 Bring Region to Front button, 359
 button rollover effects, adding, 359–365

Continued



1040 Index ♦ I

- image maps (*continued*)
 - circle, editing, 353
 - Circle tool, 349
 - client-side map, 346
 - code, minimizing, 365
 - Color Region button, 356
 - converting buttons, 364
 - creating, 346–348
 - described, 345–346
 - editing regions, 352–354
 - Frame Regions button, 356
 - Freehand tool, 350–352
 - hotspot linked to page or file, 355–356
 - linking regions, 354–356
 - moving regions, 354
 - overlapping objects, arranging, 359
 - polygon, editing, 353–354
 - Polygon tool, 350–352
 - primary image, 360
 - rectangle, editing, 353
 - Rectangle tool, 349
 - regions, defining, 348–352
 - resizing images, 364
 - rollover button image, adding, 360–364
 - secondary image, 360
 - Select Color button, 356–358
 - Send Region to Back button, 359
 - starting, 346–348
 - sticky buttons, 364
 - URL pop-up menus, adding, 365–367
 - URLs, displaying, 358
- image placeholders, 503–504
- images
 - lowsrc progressive effect, 274
 - Abs Bottom alignment, 278
 - Abs Middle alignment, 278
 - aligned with text, ensuring, 410–411
 - aligning, 278–279
 - ALT tags, 261
 - arranging, 276–280
 - as background for tables, 406–407
 - Baseline alignment, 278
 - border, creating, 281
 - Bottom alignment, 278
 - built-in progressive effect, 274
 - as cell background, 406–407
 - collecting images in Site Window, 255–257
 - copyright, 298
 - Default alignment, 278
 - deleting, 286
 - described, 251–252
 - dragging, placing an image by, 259–261
 - dragging a file directly onto a page, 266
 - editing, 283–286
 - file mapping, changing, 284–286
 - File Preview, 257
 - Files tab, dragging image from, 259
 - floating boxes, 639–640
 - GIF, 253
 - graphic formats, 252–254
 - historical background, 251
 - importing Photoshop layered graphics, 297–298
 - JPEG, 253
 - Left alignment, 278
 - Lightshow 3D, 255
 - low-resolution images, creating, 273–276
 - margins, managing, 282
 - Middle alignment, 278
 - optimized images, editing existing, 283–284
 - organizing, 256–257
 - Page Preview, 257
 - placeholder, adding an image by using, 262–267
 - PNG, 254
 - Point and Shoot an image from Image Inspector, 264–266
 - Point and Shoot an image from placeholder, 262–263
 - preview image, dragging, 260
 - previewing, 257–259
 - progressive rendering, 273
 - resizing, 276–277
 - Right alignment, 278
 - setting apart from page, 281–282
 - sliced images, 267–273
 - Smart Objects, 287–294
 - source code, 251–252, 267
 - space around, adding, 281–282
 - SVG, 254
 - Text Top alignment, 278
 - thumbnails, 273
 - Top alignment, 278
 - tracing, 8
 - Tracing Image, 294–297
 - Web Photo Gallery, 273
 - wrapping text around, 279–280
- ImageStyler pages, 320
- iMovie, 705
- imported style sheets, 523
- importing Photoshop layered graphics, 297–298
- In & Out Links palette, 21
 - advantages of, 334
 - appearance of, 853–854
 - bad links alert, 839
 - changing links, 337–338



- described, 5, 333–334
- opening, 333
- printing links, 854
- references, changing all, 338–339
- reviewing links in, 851–854
- verifying links, 334–336
- viewing links with, 851–853

Incoming spotlight, 944

incremental downloads, 931

Incremental Upload, 923–924

index searches, 834–836

inheritance, 539

initial visibility, setting, 645

initializing variables, 616–617

inline style sheets, 523

inserting

- HTML code, 594
- JavaScript, 750–752
- line breaks, 210–211
- text, 594

in-site search engine, 880

Inspector, 20–21

- described, 36
- opening, 38
- uses of, 36–38

installing

- Access database, 791
- Actions, 571
- database, installing on server, 791–793
- FileMaker Pro database, 792–793
- ODBC database, 791–792
- Oracle database, 791–792
- SQL Server database, 791–792

integrity, 582

Intel Web Applets, 783

interactive text, 741

internal anchors, 315

internal links, 300

internal style sheets

- conversion to external style sheet, 534
- creating, 524–528
- described, 522–524
- editing, 558–559
- external style sheet converted to, 534–535

Internet 201, 97

Internet.com, 97

Invalid bindings preference, 808

invisible floating boxes, 648–649

invisible GIF, losing, 80

Italic formatting option, 216

italic tags, 827

J

Java, 773

Java Applet Rating Service, 783–784

Java applets

- adding, 775–779
- advantages of, 773–774
- Better Homepage, 783
- cut and paste used to add, 780–781
- deleting parameters, 780
- editing parameters, 780
- Free Java Applets, 783
- Gamelan, 783–784
- Intel Web Applets, 783
- Java Applet Rating Service, 783–784
- Java Boutique, 783–784
- Java Centre, 783
- Java for MacOS, 784
- Login Pass Applet, 781–782
- resizing, 777
- Script Search, 783
- Sun Microsystems, 783–784
- testing, 779, 781
- troubleshooting, 781
- Web sites, 783–784

Java Boutique, 783–784


Java Centre, 783

Java for MacOS, 784

Java Virtual Machine (JVM), 773

JavaScript, 14

- Actions. *See* Actions
- body, placing JavaScript in page's, 752–754
- components, minimizing code and enabling
 - JavaScript in, 581–583
- described, 749–750
- directly into page, placing, 754–755
- enabling, 581–583
- existing JavaScript, 754–755
- exporting, 582
- external JavaScript file, placing code in, 754
- external JavaScript page, 581
- hand-coded JavaScript, testing, 755
- header, placing JavaScript in, 751
- inserting, 750–752
- integrity, 582
- JavaScript Editor. *See* JavaScript Editor
- minimizing code, 581–583
- Script Inspector, 752–754
- script library, 582–583
- setting up for, 752–754
- Smart Objects. *See* Smart Objects
- tips for using, 768
- using, 749–750



1042 Index ♦ J-L

JavaScript Editor, 10

- Auto indent preference, 769
- Check Syntax button, 756
- color preferences, 771
- Colors preference, 771
- Delete Script Item button, 758
- described, 755–756
- Display Errors button, 756–757
- Display Warnings button, 756–757
- Enable dragging of marked text preference, 769
- Enable Syntax Highlighting preference, 771
- Events tab, 759–760
- font preferences, 770–771
- Line Numbers button, 758
- Line numbers preference, 769
- Name option, 770
- New Script Item button, 758
- Objects tab, 761
- onBlur event, 760
- onClick event, 760
- onDbClick event, 760
- onDragDrop event, 760
- onError event, 760
- onFocus event, 760
- onKeyDown event, 760
- onKeyPress event, 760
- onKeyUp event, 760
- OnLoad event, 760
- onMouseDown event, 760
- onMouseMove event, 760
- onMouseOut event, 760
- onMouseUp event, 760
- onMove event, 760
- OnResize event, 760
- OnUnLoad event, 760
- preferences, 769–771
- Printer Specific Settings preference, 771
- printing preferences, 771
- Script tab, 758
- script tutorial, 762–767
- Select Script button, 758
- Size option, 771
- Style option, 771
- Syntax Highlighting On/Off button, 757
- Tab size preference, 770
- Toggle Error Display button, 756
- toolbar, 756–758
- Use special font for printing preference, 771
- using, 762–768
- Word Wrap button, 757
- Word wrap preference, 770

Joint Photographic Experts Group. *See* JPEG
JPEG, 253

K

Keep the Find Window in Front option, 830

key generator, 504–505

Keyboard formatting option, 218

keyboard keys, 497

keywords

- adding, 866–871
- content of page, adding keywords via, 868–869
- deleting, 871
- described, 867
- editing, 871
- HTML, adding keywords directly into, 870–871
- manually adding keywords, 869
- present on page, adding keywords not, 869–870

Kind (Position tab), 552

L

labels, 486–487, 940–941

LaMaster, Lynne, 24–26, 135, 139, 141

large sites, 11–12

layout grid, 9

- adding, 157–158
- aligning, 163–167
- aligning objects on, 181–184
- aligning objects with respect to, 181–182
- aligning objects with respect to one another, 182–183
- another grid, aligning grid on, 167
- background color, 169–171
- beneath another grid, placing, 156
- comments, 177
- conversion to table, 186–187
- default alignment setting, 164
- default page margins, removing, 158–159
- described, 153–154
- dragging used to resize, 159–162
- grid lines, setting up, 168–169
- grid spacing, 168
- grouping objects, 185–186
- handles of object used to resize objects on, 180
- left alignment, 164–165
- line, aligning grid on a, 166–167
- moving text to, 196–197
- numerically resizing, 163
- object spacing, distributing, 183–184
- objects, using, 176–186
- optimizing, 186
- Page Inspector used to resize, 163
- placement tips, 155–157
- placing objects on, 177–179
- reasons for using, 154–155

- repositioning a text box, 173–174
- resizing, 159–163
- resizing objects on, 179–180
- resizing text box, 172–173
- right alignment, 164–165
- setting alignment, 164–165
- Snap feature, 168
- table cell, placing within, 156
- table converted from, 187–188
- text, 171–176
- top of another grid, placing, 157
- visually resizing, 159–162
- Width and Height fields in the Transform palette
 - used for resizing objects on, 180
- Width and Height fields on toolbar used for
 - resizing objects on, 180
- Layout Preview, 10
- layout text box, floating boxes converted to, 643–644
- left alignment, 164–165, 278
- Left (Background tab), 556
- Left (Position tab), 552
- legal help
 - Ivan Hoffman's legal articles, 99
 - World Intellectual Property Organization, 100
- Letter Spacing (Text tab), 550
- Leung, Jacky, 781
- Lightshow 3D, 255
- Line Height (Font tab), 546
- Line Numbers button, 758
- Line numbers preference, 769
- lines
 - grid lines, setting up, 168–169
 - inserting line breaks, 210–211
 - preventing line breaks, 211
- link Actions, 589–593
- link element selectors, 537–540
- link warnings, 838–839
- links
 - In & Out Links palette, 333–338, 839
 - absolute URL path, 312
 - across frames, setting up, 465–469
 - active links, 140
 - adding e-mail addresses to Site Window, 326–328
 - adding URLs to Site Window, 326–328
 - anchor links, 303–304
 - to anchors, 317–320
 - to another point within your page, 303–304
 - bad links, identifying, 836–843
 - Browse to destination link, 309–310
 - buttons, 304
 - changing links, 337–338
 - color, choosing, 138–140
 - creating, 304–314
 - creating an anchor on the fly, 315–317
 - defining, 965–966
 - to downloadable files, 339–340
 - dragging the link destination into place, 313–314
 - dragging the page icon to the source page, 314
 - editing, 340–341
 - e-mail addresses, 323–328
 - e-mail links, extending, 328–332
 - Emailer Action added to e-mail link, 331–332
 - Errors tab, 841
 - external anchors, 315
 - external links, 300–302, 841–843
 - externally created pages, 320–323
 - frames, linking page to, 454–456
 - gathering e-mail addresses from your pages,
 - 323–324
 - gathering URLs from your pages, 323–324
 - green bugs, 837
 - HTML added to e-mail link, 329–331
 - HTML Outline Editor mode, 840–841
 - image maps, 354–356
 - to ImageStyler pages, 320
 - internal anchors, 315
 - internal links, 300
 - link warnings, 838–839
 - to LiveMotion pages, 320, 321–323
 - to Macromedia Flash pages, 321–323
 - manually adding e-mail addresses, 324–325
 - manually adding URLs, 324–325
 - manually reparsing, 850–851
 - paste destination link, 310
 - to PDF files, 320–321
 - physical URL path, 312
 - Point and Shoot to destination link, 308–309
 - previewing, 840
 - printing links, 854
 - QuickTime movies, 323, 676–677
 - references, changing all, 338–339
 - relative URL path, 312
 - removing, 342
 - removing part of a link, 341–342
 - repairing links, 334–336
 - rearsing, 850
 - rescanning site, 849–851
 - reviewing links, 851–854
 - root-relative URL path, 312
 - to Shockwave Director pages, 321–323
 - to specific parts of a page using anchors, 314–320
 - to specific point on separate page, 304
 - steps to create, 306–311
 - to SWF pages, 321–323
 - testing anchor links, 320

Continued


links (*continued*)

- type destination link, 310
- types of, 300
- underline, appearing with, 305
- updating, 849–851
- updating e-mail addresses, 332
- URLs, 323–328
- verifying links, 334–336
- visited links, 140
- warnings, 838–839
- Links view, 128, 935–937
- List & Other properties
 - adding, 556
 - Image, 556
 - Other Property, 557
 - Position, 556
 - Style, 556
- list box, 495–496
- lists
 - applying list styles, 244–245
 - bulleted lists, 237–238, 245
 - creating, 238–243
 - definition lists, 248–249
 - described, 237
 - existing text, creating a list from, 241–243
 - numbered lists, 237–238, 245–248
 - ordered lists, 237–238, 245–248
 - pasted lists, 243–244
 - plain text, turning list back into, 244
 - typing, creating a list while, 240–241
 - unordered lists, 237–238, 245
- Liszt, 96
- live editing, 63
- LiveMotion pages, 320, 321–323
- locating and replacing text, 814–815
- locked file, editing, 1003–1004
- Login Pass Applet, 781–782
- Loop option, 680
- lost files, 846–847
- low-resolution images
 - automatic creation of, 274–275
 - built-in progressive effect, 274
 - creating, 273–276
 - lowsrc progressive effect, 274
 - progressive rendering, 273
 - your own, using, 276

M

- Macintosh
 - Apple Information Access Technology, 834
 - Dynamic Link and, 788–789
 - frames, semi-editable preview, 457–458
 - index searches, 834–836
 - Key Caps, 232
 - link created by dragging the page icon to the
 - source page, 314
 - Preview view, 53
 - Site Window, 24
 - “windowshade” box, 61
- Macromedia Flash pages, 321–323
- Madsen, Henrik, 824
- managing files, 1013–1014
- manual link, 471–472
- manual placement of sliced images, 269–270
- Margin (Block tab), 550–551
- margins, managing, 282
- marketing, 100
- Markup Tree palette, 10, 45
- Martin, Ken, 435, 824, 827
- measurement options for tables, 387–388
- media files, adding, 382
- menu command used to assign font set to text, 226
- message Actions, 593–597
- methods, 977
- Middle alignment, 278
- MIDI, 729
- migration to GoLive 5’s form container, 511–512
- Mime types, 692
- minimizing code, 581–583
- missing files, 843
 - checking for, 921–922
 - described, 846
 - lost files, 846–847
 - missing files (empty references), 848
 - within site, finding, 848–849
- mock pages, creating, 793–795
- modified files, uploading, 1015
- monitoring network status, 1009
- Mouse Trail, 666
- mouseover effect, 268–269
- Move By Action, 600–601
- Move To Action, 602–603
- movement
 - creating, 665–666
 - recording, 653–654
- Movie Inspector, 713–714
- movie posters, 677

- moving
 - files, 1002
 - frames, 452
 - object to a point, 600–601
 - object to another location, 602
 - pages, 966–967
 - regions, image maps, 354
 - text, 196–197
 - Mulder, Steve, 564
 - multimedia Actions, 597–607
 - multimedia files
 - audio attributes, 691
 - Autostart option, 692
 - controls, 692
 - embedding, 688–693
 - Loop option, 693
 - Starttime option, 693
 - Stoptime option, 693
 - timing attributes, 692–693
 - visibility, 692
 - Volume option, 693
 - multiple files, Find and Replace in, 815–818
 - multiple undos, 15
 - music tracks, adding, 726–729
- N**
- Name option, 770
 - naming
 - animation, 657–658
 - forms, 479
 - frames, 453
 - renaming files on server, 929
 - renaming folders on server, 929
 - renaming items within published site, 918
 - Web pages, 129–131
 - navbar rollover, 268–269
 - Navigate History Action, 590
 - navigation bar contained by frames, 442
 - navigation frames, 471–473
 - navigation history, 590
 - navigation links, creating, 803–807
 - Navigation view, 128, 934–935, 950–951
 - Navigation window, 22
 - NCSA (at UIUC) Beginner's Guide to HTML, 96
 - nested floating boxes, 633
 - nested tables, 371
 - nesting text macros, 436
 - Netscape, 44
 - Netscape CSS Fix Action, 608
 - Netscape CSS glitch, 561–562
 - Network Status window, 16, 1009
 - new site
 - blank site, creating new, 103–107
 - starting, 103–108
 - template, creating new site based on a, 107–108
 - new window, opening, 590–593
 - New Window Action, 591–593
 - Nielsen NetRatings, 100
 - Noedit tag, 514–515
 - noframes tag, 470–471
 - nonstandard tags, 514–516
 - nontiling backgrounds, 139
 - normal buttons, 501–502
 - numbered lists, 237–238, 245–248
 - numerically resizing layout grid, 163
- O**
- Object plug-in, 697–699
 - object spacing, distributing, 183–184
 - objects
 - dragging used to resize, 159–162
 - handles of object used to resize objects on layout grid, 180
 - resizing objects on layout grid, 179–180
 - using, 176–186
 - Objects palette, 21
 - Basic tab, 39
 - Custom Objects. *See* Custom Objects
 - Custom tab, 13, 40
 - described, 5, 38
 - Forms tab, 39
 - Frames tab, 39
 - Head tab, 39
 - QuickTime tab, 40
 - Site Extras tab, 40
 - Site tab, 39
 - Smart tab, 39
 - WebObjects tab, 40
 - Objects tab, 761
 - ODBC database, installing, 791–792
 - onBlur event, 760
 - OnCall head Action, 616–617
 - onClick event, 760
 - onDbClick event, 760
 - onDragDrop event, 760
 - onError event, 760
 - onFocus event, 760
 - onKeyDown event, 760



1046 Index ♦ O-P

- onKeyPress event, 760
- onKeyUp event, 760
- OnLoad event, 760
- onMouseDown event, 760
- onMouseMove event, 760
- onMouseOut event, 760
- onMouseUp event, 760
- onMove event, 760
- OnResize event, 760
- onscreen Help
 - Adobe Links, 94
 - Adobe Online, 94
 - Contents list, 88–90
 - copying Help text, 93
 - Downloadables feature, 93–94
 - exiting, 93
 - Index, 90–91
 - opening, 88
 - printing a Help page, 92
 - registration, 94
 - Search, 91–92
 - Support option, 93
- onscreen labels, 87–88
- OnUnLoad event, 760
- Open Alert Window Action, 595–596
- opening
 - In & Out Links palette, 333
 - alert window, 595–596
 - Color palette, reopening, 43
 - existing movie, 707–708
 - folders, 57
 - Inspector, 38
 - new window, 590–593
 - Page Inspector, 128–129
 - Web pages, 128
- optimized images, editing existing, 283–284
- Oracle database, installing, 791–792
- ordered lists, 237–238, 245–248
- organization of files
 - designs, 966–971
 - folder icons, 55–56
 - folders, adding, 55
 - images, 256–257
 - moving files, 56
- orientation of frames, changing, 453
- orphan files
 - described, 843–844
 - locating, 845
 - repairing, 845
- Other Property (List & Others tab), 557
- other sites, using Custom Objects in, 429–430
- Outgoing spotlight, 944
- outline, viewing structure as, 939

- Outline view
 - attributes added to existing elements, 84–86
 - collapsing tags, 77–79
 - contents of tags, 77
 - deleting elements, 86
 - described, 75–77
 - editing page, 81–84
 - elements, adding, 82–84
 - expanding tags, 77–79
 - generic tags, placing, 83
 - link warnings, viewing, 81
 - Low Source, 81
 - moving elements, 84
 - selecting tags, 79–80
 - View Controller, 79–80
 - viewing images, 80–81
- oval view, 940
- Overflow (Position tab), 553
- overlap, preventing, 633–634
- overlapping objects, arranging, 359


P

- Padding (Block tab), 551
- page formatting, 410–412
- Page Inspector
 - background color, setting, 132–133
 - color, assigning, 219
 - layout grid, used to resize, 163
 - opening, 128–129
 - page margins, setting, 141–142
- page margins, setting, 141–142
- Page Preview, 257
- page titles, 865–866
- page window
 - described, 49–50
 - Frame Editor, 50
 - Frames tab, 49
 - JavaScript Editor, 51
 - Layout Editor tab, 50
 - Layout tab, 49
 - Layout view, 50–52
 - Outline tab, 49
 - Outline view, 52
 - Preview sizing, 54–55
 - Preview tab, 49
 - Preview view, 53
 - Source tab, 49
 - Source view, 52
 - Style Sheet Editor, 51
 - TimeLine Editor, 51
- page-creation window, 20–21


- palettes
 - Align palette, 48
 - Color palette, 40–45
 - described, 36
 - History palette, 46–47
 - Inspector. *See* Inspector
 - Markup Tree palette, 45
 - Objects palette, 38–40
 - Source Code palette, 47
 - Table palette, 46
 - Transform palette, 47–48
- Palettes tab (Color palette), 43
- Palindrome option, 680
- Panorama pane, 937–938
- paragraphs
 - block quotes, creating, 204–205
 - creating, 203–204
 - formatting, 203–210
 - horizontal line, adding color to, 209–210
 - horizontal rule used to set paragraphs apart, 208–210
 - horizontal spacer, indenting paragraphs using, 206–207
 - horizontal spacer used to set paragraphs apart, 208
 - indenting, 205–207
 - invisible GIF used to set paragraphs apart, 208
 - invisible image, indenting paragraphs with, 207
 - nonbreaking spaces, indenting paragraphs with, 205–206
 - nonbreaking spaces, inserting, 206
 - Preformatted style, indenting paragraphs using, 207
 - space between, inserting, 207–208
 - text, using table to contain, 208
- parent target, 466
- password field, 484–486
- paste destination link, 310
- pasted lists, 243–244
- PDF files, 320–321
- pending links, 947–949
- Pending pane, 946–947
- Pending spotlight, 944
- Percent option, 461
- personal spelling dictionary, 235–236
- Photoshop, 297–298
- physical styles (fonts), 215–217
- physical URL path, 312
- Pixel option, 461
- placeholder
 - adding an image by using, 262–267
 - binding content source to, 799–801
- Plain Structure formatting option, 217
- plain text, turning list back into, 244
- Plain Text formatting option, 215
- planning site, 951–964
- platform, using different style sheet for each, 562
- Play Every Frame option, 680
- Play Scene Action, 603–604
- Play Sound Action, 604–605, 700
- playback, floating boxes, 663–665
- Plug-ins Preferences
 - choosing, 695–697
 - described, 695
 - extension, mapping, 696–697
 - Mime type, mapping, 696–697
 - player, changing, 696
- PNG, 254
- Point and Shoot
 - background images, used to place, 136
 - component on page, used to place, 421–422
 - described, 5, 58–60
 - to destination link, 308–309
 - image from Image Inspector, 264–266
 - image from placeholder, 262–263
- polygon, editing, 353–354
- Polygon tool, 350–352
- pop-up menu, 493–495
- Portable Network Graphics. *See* PNG
- Position (List & Others tab), 556
- position properties
 - Absolute, 552
 - adding, 552
 - Clipping, 553
 - Height, 552
 - Kind, 552
 - Left, 552
 - Overflow, 553
 - Relative, 552
 - Static, 552
 - Top, 552
 - Visibility, 553
 - Width, 552
 - Z-Index, 553
- positioning text area, 741
- Post method, 481
- preformatted sliced images, adding, 271–273
- Preload Image Action, 585–586
- preloading images, 585–586
- Premul(tiplied) Black option (Track Inspector), 717
- Premul(tiplied) White option (Track Inspector), 717
- presenting design, 972
- preventing line breaks, 211
- preview image, dragging, 260


1048 Index ♦ P-Q

- previewing
 - frames, 456–458
 - images, 257–259
 - links, 840
 - style sheets, 557
 - previous page, returning to, 589
 - previously set Action, calling, 622
 - primary image, 360
 - Printer Specific Settings preference, 771
 - printing
 - frames, 445
 - Help page, 92
 - JavaScript Editor printing preferences, 771
 - links, 854
 - printing preferences, 771
 - progressive rendering, 273
 - project managers, 11
 - Publish feature, 916
 - Publish status, 144–145
 - publishing site
 - deleting server setting, 904
 - editing server setting, 904
 - Export Site, 887
 - exporting site, 909–912
 - FTP Browser, 887, 899–902
 - FTP preferences, 903–906
 - general newrok options for FTP, 905–906
 - HTML code, stripping, 905
 - new server setting, adding, 903
 - server access errors, tracking, 906–909
 - server space, 888–889
 - Site Window FTP, 887, 889–898
 - updating FTP server settings, 903–904
 - uploading options, 904–905
- Q**
- QuickTime Editor
 - Chapter Track icon, 721
 - cloud filter, 731
 - 3D Track icon, 718
 - described, 717
 - filters, 729–733
 - fire filter, 731
 - Generic Filter Track, 729–731
 - Generic Filter Track icon, 720
 - GoLive-generated elements, adding, 720–722
 - HREF Track icon, 721
 - importing files, 718–720
 - laying out movie, 722–723
 - MIDI (music) Track icon, 718
 - MPEG Track icon, 718
 - music tracks, adding, 726–729
 - One-Source Filter Track, 730, 732
 - One-Source Filter Track icon, 720
 - Picture Track icon, 719
 - ripple filter, 731
 - Sound Track icon, 718
 - sound tracks, adding, 726–729
 - Sprite Track icon, 719
 - SWF Track icon, 718
 - Text Track icon, 721
 - Two-Source Filter Track, 730, 732–733
 - Two-Source Filter Track icon, 720
 - Video Track icon, 718
 - video transitions, 729–733
 - QuickTime movies
 - adding, 675–682
 - Adobe Premiere, 705
 - Autoplay option, 680
 - BGColor option, 680
 - Blend option (Track Inspector), 716
 - Cache option, 680
 - chapter tracks, adding, 744–746
 - Composition (Dither Copy) option (Track Inspector), 717
 - Copy option (Track Inspector), 716
 - copying existing tracks from other movies, 724–725
 - creating new movie, 706–707
 - displaying, 748
 - Dither Copy option (Track Inspector), 716
 - Edit DV Unplugged, 705
 - embedding, 677–682
 - examples, live, 682
 - existing movie, opening, 707–708
 - existing tracks from other movies, copying, 724–725
 - exporting, 746–748
 - files to upload and link to, determining, 676
 - formatting text, 740–741
 - HREF tracks, adding, 742–743
 - iMovie, 705
 - interactive text, 741
 - links, 323, 676–677
 - live examples, 682
 - Loop option, 680
 - Movie Inspector, 713–714
 - movie posters, 677
 - music tracks, adding, 726–729
 - new movie, creating, 706–707
 - opening existing movie, 707–708
 - overview, 704–705
 - Palindrome option, 680
 - Play Every Frame option, 680
 - positioning text area, 741




- Premul(tiplied) Black option (Track Inspector), 717
 - Premul(tiplied) White option (Track Inspector), 717
 - resizing text area, 741
 - saving, 708–709, 746
 - Scale option, 681
 - Show Controller option, 680
 - sound tracks, adding, 726–729
 - sprite tracks, 733–739
 - Straight Alpha Blend option (Track Inspector), 717
 - Straight Alpha option (Track Inspector), 716
 - text tracks, adding, 739–741
 - TimeLine Editor. *See* TimeLine Editor
 - TimeLine window. *See* TimeLine window
 - Track Inspector, 715–717
 - Transparent option (Track Inspector), 716
 - visual tracks, adding, 725–726
 - Volume option, 680
 - QuickTime tab (Objects palette), 40
 - Quotation formatting option, 218
- R**
- radio buttons, 491–493
 - Random Image Action, 586–587
 - Read Cookie Action, 619–620
 - reading cookies, 619–620
 - read-only fields, 499
 - real pages, turning design into, 972–973
 - RealMedia
 - custom control panel, 686–687
 - described, 683
 - embedding, 684–686
 - linking to, 683–684
 - recalling design, 973–974
 - recorded path, editing, 658–660
 - rectangle, editing, 353
 - Rectangle tool, 349
 - redirecting visitors to new URL, 875
 - Reference pane, 946
 - references to links, changing all, 338–339
 - Refresh Lock Status, 1005
 - Refresh tag, 876–877
 - refreshing pages, 876–877
 - refreshing site, 1005
 - regions, defining, 348–352
 - regular expressions, 818–819, 831–832
 - Relative (Position tab), 552
 - relative URL path, 312
 - Remove options, 856–857
 - renaming
 - files, 998–1001
 - files on server, 929
 - folders on server, 929
 - published site, items within, 918
 - repairing links, 334–336
 - reparsing links, 850
 - Repeat (Background tab), 555
 - repositioning
 - floating boxes, 630–632
 - text box, 173–174
 - Rescan root folder, 856
 - rescanning site, 849–851
 - reset buttons, 502
 - Resize Window Action, 608–609
 - resizing. *See also* sizing
 - floating boxes, 642–643
 - images, 276–277, 364
 - Java applets, 777
 - layout grid, 159–163
 - text area, 741
 - text box, 172–173
 - reusing queries, 861–862
 - reviewing links in In & Out Links palette, 851–854
 - Rewrite Source Code, 10
 - RGB tab (Color palette), 41
 - Ridley, Matt, 331
 - right alignment, 164–165, 278
 - rollover button image, adding, 360–364
 - rollover effect, 268
 - root-relative URL path, 312
 - row-level alignment, 402
 - rows
 - adding, 382–385
 - background color applied to, 403
 - deleting, 386
 - end of table, adding to, 383–384
 - merging cells in, 391–392
 - new row inserted between existing rows, 384–385
 - selecting, 374–375
 - Royal National Institute for the Blind (RNBI), 99
- S**
- Salinas, Mario, 874–875
 - Salinas, Sheri, 874–875
 - Sample formatting option, 218
 - saving
 - movies, 708–709
 - new page opened form file menu, 143–144
 - queries, 861
 - QuickTime movies, 746
 - Site Window, saving page opened from, 142
 - Web pages, 142–145
 - Scalable Vector Graphics. *See* SVG
 - Scale option, 461, 681






1050 Index ♦ S

- Schmerler, Steven, 253, 269
- Scratch pane, 945–946, 950–951
- screen
 - organizing, 60–61
 - space, saving, 61
- Script Inspector, 752–754
- script library, 582–583, 859
- Script Search, 783
- Script tab, 758
- script tutorial, 762–767
- scriptors, 10–11
- Scrivnor, Cathy, 297, 627
- Scroll Down Action, 609–610
- Scroll Left Action, 609–610
- Scroll Right Action, 609–610
- Scroll Up Action, 609–610
- scrollbars, 462
- ScrollIt, 666
- Search Engine Watch, 100
- search engines, 443–444
- searches, 812–813
 - bold tags, 827
 - Element tab, 828–830
 - entire site, searching, 815–818
 - files within your site, 832–836
 - Find preferences, 830–832
 - finding and replacing text, 811–827
 - font tags, 824–827
 - global regular expression print (GREP) strings, 818
 - GREPs, 818
 - HTML code elements, 827–830
 - index searches, 834–836
 - italic tags, 827
 - locating and replacing text, 814–815
 - multiple files, Find and Replace in, 815–818
 - regular expressions, 818–819
 - specific items within your site, 833
 - specific pages, searching, 816–818
 - wildcard characters, 820–822
 - wildcard modifier characters, 824
 - wildcard qualifier characters, 823
 - wildcard searches, 818–824
- secondary image, 360
- Select Color button, 356–358
- Select Script button, 758
- selected files, uploading, 926–928
- selecting
 - floating boxes, 633
 - tables, 373–374
 - text, 195–196
- self target, 467
- semi-editable preview, 457–458
- Send Region to Back button, 359
- server, testing from, 863
- server access errors
 - messages, viewing, 907
 - preferences, setting server access, 909
 - text file, saving server access log as, 908
 - tracking, 906–909
- server space
 - setting up, 888–889
 - sharing among separate sites, 888
 - test site, 889
- server-side validation, 506, 509–510
- Set Back(ground) Color Action, 611
- Set Image URL Action, 588
- Set Status Action, 596–597
- Set Variable Action, 617
- shared locks, 1013
- sharing Actions between pages or sites, 576
- Shockwave Director pages, 321–323
- Shockwave/Flash (SWF) files, 672–675
- Show Controller option, 680
- Show Hide Action, 605–606
- Show Options dialog box, 857
- Show Panes, 945–946
- simplifying URLs within site, 881–882
- single page, switching component on, 426
- site cleanup
 - Add Used Colors, 856
 - Add Used External References, 856
 - Add Used Files, 856
 - Add Used Font Sets, 856
 - Add used option, 856
 - Clean Up command, 854
 - Clean Up Site, 857–859
 - Clean Up Site Preferences, 855–857
 - overview, 854
 - Remove options, 856–857
 - Rescan root folder, 856
 - Show Options dialog box, 857
- Site Color tab (Color palette), 43
- Site Designer, 12, 22
 - aligning pages, 967
 - annotations, 963–964
 - arranging links, 968
 - Build Navigation Hierarchy dialog box, 936
 - Cell size, 941
 - checking design, 971–972
 - Collection spotlight, 944–945
 - color of view, 941
 - comments, 963–964
 - creating new site design, 955–962
 - customizing page icons and labels, 938–941
 - defining links, 965–966
 - Family spotlight, 943




- filtering files viewed, 942
- Frame size, 941
- frame view, 940
- grouping pages, 969–971
- Incoming spotlight, 944
- labels, setting, 940–941
- links, defining, 965–966
- Links view, 935–937
- moving pages, 966–967
- Navigation view, 934–935, 950–951
- organizing designs, 966–971
- Outgoing spotlight, 944
- outline, viewing structure as, 939
- oval view, 940
- Panorama pane, 937–938
- pending links, 947–949
- Pending pane, 946–947
- Pending spotlight, 944
- planning site, 951–964
- preparing site for, 953
- presenting design, 972
- real pages, turning design into, 972–973
- recalling design, 973–974
- Reference pane, 946
- Scratch pane, 945–946, 950–951
- Show Panes, 945–946
- Site Navigator palette, 937–938
- site structure, reviewing and reorganizing, 950–951
- spotlights, 943–945
- Stationery, 954, 963
- structure of site, viewing, 933–946
- submitting design, 972–973
- subsections added to design, 962–963
- thumbnail view, 939–940
- ungrouping pages, 969–971
- View icon, 939–940
- site document, 19–20
- site exposure
 - descriptions, adding, 871–874
 - domain names, 874–875
 - keywords, 866–871
 - page titles, 865–866
 - redirecting visitors to new URL, 875
 - Refresh tag, 876–877
 - refreshing pages, 876–877
 - spelling and, 872
- Site Extras tab (Objects palette), 40
- Site Navigator palette, 937–938
- Site Report, 16
 - creating, 859–862
 - Document Statistics, 862
 - reusing queries, 861–862
 - saving queries, 861
- site settings, 979
- site structure, reviewing and reorganizing, 950–951
- Site tab (Objects palette), 39
- Site Trash folder, 33
- site use
 - cache, 884–885
 - counters, 878
 - date/time information, 882–884
 - file names, 881
 - folder names, 881–882
 - in-site search engine, 880
 - simplifying URLs within site, 881–882
 - table of contents, adding, 877–880
 - URLs within site, simplifying, 881–882
- Site Window, 19–20
 - collecting colors in, 30–31
 - Colors tab, 29–31
 - Custom Snippets. *See* Custom Snippets
 - Custom tab, 13, 31
 - customizing, 35
 - described, 5
 - Designs tab, 29
 - Errors tab, 33
 - External tab, 28
 - Extras tab, 33–34
 - Files tab, 26–27
 - Font Sets tab, 31
 - FTP program, 62–63
 - FTP tab, 34
 - hidden section, viewing, 32–35
 - Incremental Upload, 923–924
 - moving files, 57–58
 - opening Web pages from, 128
 - overview, 23–26
 - removing colors from, 31
 - Stationery, adding, 119–120
 - storing font sets in, 223–226
 - transferring font set between, 227
 - Upload Modified items, 924–925
 - WebDAV tab, 34–35
- Site Window FTP, 887
 - described, 17, 889–890
 - disconnecting from server, 898
 - downloading selected pages with, 932
 - existing site on server, 896
 - new directory, adding, 898
 - server access, 890–893
 - uploading site for first time, 894–897
 - viewing files in FTP tab, 897
- site-specific preferences, 980–982
- Size (Font tab), 546
- size of cells, adjusting, 390–391
- Size option, 771




1052 Index ♦ S

- sizing. *See also* resizing
 - background images, 135
 - frames, 459–462
 - style sheets, 547
 - tables, 397
- sizing method, changing, 460–461
- sliced images, 411
 - adding to page, 270
 - deleting, 286
 - described, 267–269
 - manual placement, 269–270
 - mouseover effect, 268–269
 - navbar rollover, 268–269
 - preformatted sliced images, adding, 271–273
 - rollover effect, 268
- Smart Link, 287
- Smart Objects, 8
 - Browser Switch Smart Object, 622–624
 - described, 287–289
 - placing on page, 290–291
 - Smart Links, 290–293
 - source files, 288
 - storing, 294
 - Web-ready files, 288
 - Web-ready images, changing settings of, 293
 - Web-ready images, making changes to, 292–293
 - working with, 289
- Smart tab (Objects palette), 39
- Snap feature, 168
- Snippe, John, 828
- sound. *See* audio
- Source Code palette, 10, 47
- Source Code window
 - described, 66
 - inactive, text dimmed when, 68
 - line numbers, displaying, 68
 - Local mode, 66–67
 - opening, 66
 - using, 66–69
 - Word Wrap, 68
- Source Editor
 - Browser menu button, 72
 - browser sets, 74
 - Check syntax button, 72
 - colors, 75
 - described, 69
 - Detailed syntax highlighting, 70
 - Detailed syntax highlighting button, 73
 - Display errors button, 72
 - Display warnings button, 72
 - drag and drop, 69
 - font, 75
 - general source preferences, 73
 - Highlight media and links button, 73
 - Highlight server side code button, 73
 - Highlight URLs button, 73
 - line numbering, 69
 - Line numbering button, 73
 - preferences, 73–75
 - printing, 75
 - Syntax Highlighting, 69–71
 - toolbar, 72–73
 - Turn syntax highlighting off button, 73
 - word wrap, 69
 - Word wrap button, 73
- Source view, 515–516
- space around images, adding, 281–282
- special effects, frames, 439–440
- special text characters, 232–233
- Specialized Publishing, 24–26, 135, 139, 141
- specific files, uploading, 1015–1016
- specific pages, searching, 816–818
- spelling
 - site exposure effected by, 872
 - spell check, 233–236
- spotlights, 943–945
- sprite tracks
 - animating actors, 736–738
 - behaviors, 737–738
 - characters, 736–738
 - creating, 734–736
 - described, 733–734
 - keyframes, 736
 - positioning actors, 736–738
 - Sprite Actions, 738–739
 - sprite sample tracks, 734–736
- SQL Server database, installing, 791–792
- stacking order, 662
- Static (Position tab), 552
- Stationeries folder, 34
- Stationery, 12, 954, 963, 996–997
 - editing, 150–151
 - saving page as, 147–150
 - sharing between sites, 151
- status bar, messages in, 596–597
- Stein, Bob, 32, 44
- sticky buttons, 364
- Stop Sound Action, 700
- storyboards, creating, 8–9
- Straight Alpha Blend option (Track Inspector), 717
- Straight Alpha option (Track Inspector), 716
- Strikeout formatting option, 216
- Strong formatting option, 218
- structural styles (fonts), 217–218




- structure of site, viewing, 933–946
 - Style (Font tab), 548
 - Style (List & Others tab), 556
 - Style option, 771
 - style sheets, 977
 - adding element selectors, 536–537
 - advantages of, 518–519
 - applying ID to an object, 544
 - applying ID to an text, 544–545
 - assigning class selector, 541–543
 - assigning font sets within, 221
 - background properties, 555–556
 - block properties, 550–551
 - border properties, 554
 - Cascading Style Sheets. *See* Cascading Style Sheets (CSS)
 - classes, 540–543
 - code format, 563–564
 - content and, 525
 - creating classes, 540–541
 - creating IDs, 543–544
 - declaration properties, 545–557
 - default unit of measure, changing, 562–563
 - demonstration of style sheets in action, 520–521
 - described, 517–519
 - editing, 558–562
 - element selectors, 535–537
 - embedded style sheets. *See* internal style sheets
 - external style sheets. *See* external style sheets
 - font properties, 546–548
 - hiding invisible GIFs, nonbreaking spaces, or spacer, 549
 - IDs, 543–545
 - inheritance, 539
 - internal style sheets. *See* internal style sheets
 - link element selectors, 537–540
 - list & other properties, 556–557
 - Netscape CSS glitch, 561–562
 - platform, using different style sheet for each, 562
 - position properties, 552–553
 - preview style sheet, 564
 - previewing, 557
 - sizing, 547
 - syntax, explanation of, 522
 - text properties, 548–550
 - types of, 521–535
 - styles, applying, 409–410
 - submissions to forms, confirming, 509
 - submit buttons, 500–501
 - submitting design, 972–973
 - Subscript formatting option, 217
 - subsections added to design, 962–963
 - Sun Microsystems, 783–784
 - Superscript formatting option, 216
 - SVG, 254
 - described, 693
 - disadvantages of, 693
 - using, 694–695
 - swapping images, 588
 - SWF pages, 321–323
 - switching components, 425–426
 - synchronizing files, 986–988
 - syntax, explanation of, 522
 - Syntax Highlighting On/Off button, 757
- T**
- tab order of fields, setting, 496–498
 - Tab size preference, 770
 - table cell, 156
 - Table Inspector
 - adjusting table with, 389–390
 - resizing cells with, 391
 - table of contents, adding, 877–880
 - Table palette, 46
 - table text
 - coloring, 380–381
 - font set, assigning, 380–381
 - header styles, 379
 - importing text file into table, 377–378
 - moving text, 378–379
 - sorting, 381–382
 - text, adding, 376–377
 - text wrap, 378
 - table-level alignment, 398–400
 - tables
 - adding, 370–372
 - aligning, 398–402
 - aligning grid within, 167
 - appearance, altering, 394–409
 - background color applied to, 403
 - background color applied to cells, 404
 - border, adding, 394–395
 - captions, 407–409
 - cell padding, adjusting, 395–396
 - cell spacing, adjusting, 396–397
 - cell-level alignment, 400–402
 - cells, selecting, 374
 - centering, 412
 - changing page margins, 372
 - color, adding, 402–407
 - color border, adding, 404–405
 - color border added to cell divisions, 404–405

Continued




1054 Index ♦ T

- tables (*continued*)
 - columns. *See* columns
 - content, adding, 375–382
 - converted from layout grid, 187–188
 - converting into grid, 372
 - creating styles, 410
 - deleting, 373
 - described, 369
 - dragging, adjusting table by, 388–389
 - dragging, resizing cells by, 390
 - dragging onto page, 370
 - dynamic tables, creating, 801–803
 - framing, 411–412
 - graphics, adding, 382
 - image aligned with text, ensuring, 410–411
 - image as background for, 406–407
 - image as cell background, 406–407
 - layout grid, converted to, 186–187
 - measurement options, 387–388
 - media files, adding, 382
 - nested tables, 371
 - page formatting, 410–412
 - removing page margins, 372
 - row-level alignment, 402
 - rows. *See* rows
 - selecting, 373–374
 - size adjustments, 387–391
 - size of cells, adjusting, 390–391
 - sizing, 397
 - sliced images, 411
 - styles, applying, 409–410
 - Table Inspector, adjusting table with, 389–390
 - Table Inspector, resizing cells with, 391
 - table-level alignment, 398–400
 - text. *See* table text
- Teletype formatting option, 217
- Test Variable Action, 617–618
- testing, 1007
 - anchor links, 320
 - Java applets, 779, 781
 - links of frames, 467
 - variables, 617–618
- text, 171–176
 - adding, 192–194
 - aligning, 212–214
 - blank Web page, adding text to, 192
 - clearing, 198
 - on clipboard, 197
 - color, choosing, 138–140
 - copying, 193, 196–197
 - cutting, 196–197
 - dragging, 193, 196–197
 - duplicating text boxes, 198
 - editing, 194–198
 - floating boxes, 192, 197, 638, 641–642
 - font sizes, adjusting, 200–203
 - graphics, aligning with, 213–214
 - headers, setting up, 198–200
 - inserting, 594
 - layout grid, adding text to, 192
 - layout grid, moving text to, 196–197
 - methods of editing, 197
 - moving, 196–197
 - paragraphs, formatting, 203–210
 - pasting, 193, 196–197
 - repositioning a text box, 173–174
 - selecting, 195–196
 - Text toolbar, 194–195
 - typing, 193
- text area field, 488–490
- text box
 - adding, 171–172
 - adding text to, 174–175
 - resizing, 172–173
- text field, 484–486
- Text Indent (Text tab), 548–550
- text macros
 - circular references, 436
 - creating, 433–434
 - described, 431–432
 - nesting, 436
 - source code, placing in, 434
 - tracking, 435
 - tutorial, 432–433
 - using, 434–435
- text properties
 - adding, 548
 - Alignment, 550
 - Font Variant, 550
 - Letter Spacing, 550
 - Text Indent, 548–550
 - Transformation, 550
 - Vertical Align, 550
 - Word Spacing, 550
- Text toolbar, 194–195
- Text Top alignment, 278
- text tracks
 - adding, 739–741
 - formatting, 740–741
 - interactive text, 741
 - positioning text area, 741
 - resizing text area, 741
- 360 Code, 10
- thumbnail view, 939–940
- thumbnails, 273
- tiled backgrounds, 135



- TimeLine Editor, 14
 - TimeLine window
 - clock, 712
 - Loop button, 713
 - markers, 711–712
 - Palindrome button, 713
 - Play button, 713
 - playback controls, 712–713
 - Step Backward button, 713
 - Step Forward button, 713
 - Stop button, 713
 - Time cursor, 711
 - Time slider, 711
 - Track list, 710–711
 - timeline-triggered events, 571
 - described, 572
 - steps for, 580
 - Toggle Error Display button, 756
 - toolbar, 48–49, 756–758
 - Tooltips, 87–88
 - Top alignment, 278
 - Top (Background tab), 556
 - Top (Position tab), 552
 - top target, 466
 - Track Inspector, 715–717
 - Transform palette, 47–48
 - Transformation (Text tab), 550
 - Transparent option (Track Inspector), 716
 - triggering events, 570–572
 - troubleshooting
 - Dynamic Link, 790
 - with Errors tab, 843–849
 - forms, 510–511
 - Java applets, 781
 - tutorial, text macros, 432–433
 - two frames, changing, 467–469
 - 256 color mode, 44
 - type destination link, 310
 - typing
 - creating a list while, 240–241
 - text, 193
- U**
- underline, link appearing with, 305
 - Underline formatting option, 216
 - undos, multiple, 15
 - ungrouping pages, 969–971
 - universal buttons, 502–503
 - unordered lists, 237–238, 245
 - unused font sets, removing, 231–232
 - unused items on server, 922–923
 - updating
 - e-mail addresses, 332
 - FTP server settings, 903–904
 - links, 849–851
 - updating site
 - accidental publishing, avoiding, 916
 - all files, uploading, 925
 - bad links, 921–922
 - changed pages sent to Web, 923–930
 - copy of site, 917
 - deleting items from server, 929–930
 - deleting items from site, 921–923
 - downloading files from server, 930–932
 - duplicating pages, 917
 - editing existing pages, 915–920
 - Export command, 929
 - files list, updating, 928
 - FTP Browser, downloading selected pages with, 932
 - FTP Browser, updating files with, 927–928
 - FTP tab, uploading selection with, 926
 - incremental downloads, 931
 - Incremental Upload, 923–924
 - manually uploading files, 926–927
 - missing files, checking for, 921–922
 - new pages, adding, 920–921
 - Publish feature, 916
 - renaming files on server, 929
 - renaming folders on server, 929
 - renaming items within published site, 918
 - selected files, uploading, 926–928
 - with Site Window, 923–925
 - Site Window FTP, downloading selected pages with, 932
 - unused items on server, 922–923
 - Upload button, customizing, 922
 - Upload Modified items, 924–925
 - uploading all files, 925
 - Web server, editing file directly on, 918–920
 - Upload button, customizing, 922
 - Upload Modified items, 924–925
 - uploading
 - all files, 925
 - files, 1015–1016
 - options, 904–905
 - site, 982–984
 - URL pop-up menus, adding, 365–367
 - URLs
 - displaying, 358
 - links, 323–328
 - organizing, 328
 - simplifying within site, 881–882
 - Use special font for printing preference, 771



1056 Index ♦ U-W


- user navigation of forms, 496–499
- user-resizable frames, 463
- user-triggered events
 - creating, 572–577
 - described, 571
 - graphic turned into Action trigger, 572–575
 - key-related Action, 575–577
 - mouse-invoked Action, 572–575
 - text turned into Action trigger, 572–575
- user-triggered sounds
 - Actions, 700
 - Beatnik, 700–701
 - described, 699
 - Play Sound Action, 700
 - Stop Sound Action, 700


V

- validating form data, 506–510
- values passing between dynamic pages, 805–807
- values used in forms, 585
- Variable formatting option, 218
- variables, 614–618
- VerifyForm Action, 508–509
- verifying links, 334–336
- Vertical Align (Text tab), 550
- video
 - adding, 668–670
 - compressed files, linking to, 669
 - Default, 668
 - embedded audio, 670, 670–671
 - linking audio files, 670–671
 - LiveAudio, 668
 - MIME type, 668
 - plug-ins, 668–669
 - progressive download, 669
 - QuickTime, 668–669
 - RealPlayer, 669
 - Shockwave Flash, 669
 - streaming servers, 670
- View icon, 939–940
- visibility, 644–648, 662
- Visibility (Position tab), 553
- VisiBone, 32, 44
- VisiBone's Color-Deficient Vision page (colorblindness), 99
- visited links, 140
- visitors, help with finding site, 865–877
- visual tracks, adding, 725–726
- Volume option, 680

W

- warnings, links, 838–839
- W3C, 95
- W3CObject Control, 697–699
- Web Accessibility Initiative (WAI), 98
- Web Color List tab (Color palette), 43
- Web Developer's Virtual Library, 96, 565
- Web Distributed Authoring and Versioning. *See* WebDAV
- Web Named List tab (Color palette), 43, 45
- Web pages
 - adding, 116–121
 - all pages, switching component on, 425–426
 - another site, copying page from, 120
 - default new page, 146–147
 - deleting, 122–125
 - duplicating a page within your site, 120
 - dynamic, 795–797
 - File menu, creating new pages from, 119
 - File tab, adding pages to, 118–121
 - moving a page from your hard drive into your site, 120–121
 - naming, 129–131
 - Navigation view, adding pages in, 116–118
 - opening, 128
 - previewing, 61–62
 - Publish status, 144–145
 - reusing, 145–151
 - saving, 142–145
 - Stationery, creating new pages from, 119–120
 - Stationery, saving page as, 147–150
 - title, choosing, 129–130
- Web Photo Gallery, 273
- Web server
 - editing file directly on, 918–920
 - requirements, 787–788
 - setting up, 790
- Web Server HTTP timeout preference, 808
- Web sites
 - existing site, importing, 108–116
 - Java applets, 783–784
 - new site, starting. *See* new site
 - purpose of, determining, 24–26
 - saving, 122
- Web Standards Project, 96
- WebDAV, 12
 - access to developers, 984
 - adding files, 994
 - basic WebDAV, 1011–1016
 - checked-out files, 991–994
 - checking files in, 1002–1003
 - checking out files, 989–991
 - codevelopers, 985–986





- Components, 994–996
- current files, 1013–1014
- deleting files, 997
- described, 975–977
- disappearance of coworker, 991
- disconnecting from server, 1005–1006
- division of labor, 978
- editing files, 1007
- Files tab, renaming local file in, 998–1000
- firewall software, 979
- GoLive-wide preferences, 979–980
- hosting, 1017
- learning about files, 1008–1009
- locked file, editing, 1003–1004
- managing files, 1013–1014
- manually locking files, 1011–1013
- methods, 977
- modified files, uploading f, 1015
- monitoring network status, 1009
- moving files, 1002
- Network Status window, 1009
- not connected, working when, 1006–1008
- preferences, setting up, 978–982
- reconnecting to, 1006
- Refresh Lock Status, 1005
- refreshing site, 1005
- renaming files, 998–1001
- setting up for, 978–986
- shared locks, 1013
- site settings, 979
- site-specific preferences, 980–982
- specific files, uploading, 1015–1016
- Stationery, 996–997
- style sheets, 977
- synchronizing files, 986–988
- testing, 1007
- uploading files, 1015–1016
- uploading site, 982–984
- viewing files, 1007
- WebDAV browser, 979, 1016–1017
- WebDAV Network Preferences, 978
- Workflow Support, 1010–1011
- Workgroup Support, 977, 988–989
- WebDAV browser, 979, 1016–1017
- WebDAV Network Preferences, 978
- WebObjects tab (Objects palette), 40
- Web-Page Design for Designers, 97
- Webreview.com, 97
- Weight (Font tab), 548
- Width and Height fields in the Transform palette used for resizing objects on layout grid, 180
- Width and Height fields on toolbar used for resizing objects on layout grid, 180
- width of borders between frames, 463
- width of frames, 460
- Width (Position tab), 552
- wildcard characters, 820–822
- wildcard modifier characters, 824
- wildcard qualifier characters, 823
- wildcard searches, 818–824
- Window menu, 22
- Windows Media, 688
- Wipe Transition Action, 607
- Word Spacing (Text tab), 550
- Word Wrap button, 757
- Word wrap preference, 770
- Workflow Support, 1010–1011
- Workgroup Support
 - adding files, 994
 - checked-out files, 991–994
 - checking files in, 1002–1003
 - checking out files, 989–991
 - Components, 994–996
 - deleting files, 997
 - disappearance of coworker, 991
 - disconnecting from server, 1005–1006
 - editing files, 1007
 - Files tab, renaming local file in, 998–1000
 - learning about files, 1008–1009
 - locked file, editing, 1003–1004
 - moving files, 1002
 - not connected, working when, 1006–1008
 - reconnecting to, 1006
 - Refresh Lock Status, 1005
 - refreshing site, 1005
 - renaming files, 998–1001
 - Stationery, 996–997
 - testing, 1007
 - viewing files, 1007
- World Wide Web Consortium CSS Validation Service, 565
- wrapping text around images, 279–280
- writing
 - Actions, 623
 - cookies, 618–619

X

XML, 11

Z

Zahorka, Oliver, 447, 455, 459, 629, 666, 768, 827

Z-Index (Position tab), 553

